

June 12, 2014

RE: Change in Pyrotubes[®] Product Line Offering

Dear Customer:

Associates of Cape Cod, Inc. (ACC) continues to improve our offering by providing products that are best suited to market needs. ACC has made changes to the Pyrotube[®] packaging in order to provide better protection for these products. The new product codes are as follows:

Pyrotube[®] Depyrogenated Tubes

- **TK100-10** (500 Pyrotubes/carton - 10 foil packs of 50 tubes per pack)
8 x 75 mm borosilicate glass for Pyros Kinetix[®] Flex
- **TS050-10** (500 Pyrotubes/carton - 10 foil packs of 50 tubes per pack)
10 x 75 mm soda lime glass for gel-clot method
- **TB050-5** (250 Pyrotubes/carton - 5 foil packs of 50 tubes per pack)
10 x 75 mm borosilicate glass for turbidimetric method
- **TB240-5** (200 Pyrotubes/carton - 5 foil packs of 40 tubes per pack)
12 x 75 mm borosilicate glass dilution tube
- **TB013-5** (90 Pyrotubes/carton - 5 foil packs of 18 tubes per pack)
13 x 100 mm borosilicate glass dilution tube

We will transition to this new packaging starting in September 2014.

If you wish to order Pyrotubes[®] or any other products and services from ACC, please contact your local representative or email ACC at: custservice@acciusa.com. We appreciate your business, and will continue to provide you with leading products and services to meet your current and future needs.

Sincerely,



James P. Spitzer
Director of Marketing

PR# 14-031